

INDEX MAPS.

T. 5 N. R. 9 E. 2nd Mer.

| | | | | | | | | | | | | |
|----|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|----|----|----|----|----|---|
| | ⁷ ₉ | ⁷ ₈ | ⁶ ₈ | ⁶ ₈ | ⁶ ₇ | ⁶ ₇ | | | | | | |
| 11 | 6 | ³ ₄ | 5 | 28 | 4 | 27 | 3 | 20 | 2 | 16 | 1 | 5 |
| | 33 | 33 | 27 | 23 | 19 | 15 | | | | | | |
| 11 | 7 | ³ ₃ | 8 | 27 | 9 | 23 | 10 | 19 | 11 | 15 | 12 | 5 |
| | 32 | 32 | 26 | 23 | 18 | 15 | | | | | | |
| 10 | 18 | ⁵ ₂ | 17 | 26 | 16 | 22 | 15 | 18 | 14 | 14 | 13 | 4 |
| | 31 | 31 | 26 | 22 | 18 | 14 | | | | | | |
| 10 | 19 | ³ ₁ | 20 | 25 | 21 | 22 | 22 | 17 | 23 | 14 | 24 | 4 |
| | 30 | 30 | 25 | 21 | 17 | 13 | | | | | | |
| 9 | 30 | 29 | 29 | 25 | 28 | 21 | 27 | 17 | 26 | 13 | 25 | 4 |
| | 29 | 29 | 24 | 20 | 16 | 12 | | | | | | |
| 9 | 31 | 28 | 32 | 24 | 33 | 20 | 34 | 16 | 35 | 12 | 36 | 3 |
| | ² ₂ | ¹ ₂ | ¹ ₂ | ¹ ₃ | ¹ ₃ | ¹ ₃ | | | | | | |

T. 6 N. R. 9 E. 2nd Mer.

| | | | | | | | | | | | | |
|----|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|----|----|----|----|----|----|
| | ⁴¹ ₄₂ | ⁴¹ ₄₂ | ⁴¹ ₄₂ | ⁴¹ ₄₂ | ⁴⁰ ₄₂ | ⁴⁰ ₄₃ | | | | | | |
| 45 | 6 | 67 | 5 | 62 | 4 | 58 | 3 | 54 | 2 | 50 | 1 | 40 |
| | 67 | 67 | 61 | 57 | 53 | 49 | | | | | | |
| 45 | 7 | 66 | 8 | 61 | 9 | 57 | 10 | 53 | 11 | 49 | 12 | 39 |
| | 66 | 65 | 61 | 57 | 53 | 49 | | | | | | |
| 44 | 18 | 65 | 17 | 60 | 16 | 56 | 15 | 52 | 14 | 48 | 13 | 39 |
| | 65 | 64 | 60 | 56 | 52 | 48 | | | | | | |
| 44 | 19 | 64 | 20 | 60 | 21 | 55 | 22 | 51 | 23 | 47 | 24 | 39 |
| | 64 | 63 | 59 | 55 | 51 | 47 | | | | | | |
| 43 | 30 | 63 | 29 | 58 | 28 | 55 | 27 | 51 | 26 | 47 | 25 | 38 |
| | 63 | 62 | 59 | 54 | 50 | 46 | | | | | | |
| 43 | 31 | 62 | 32 | 58 | 33 | 54 | 34 | 50 | 35 | 46 | 36 | 38 |
| | ³⁶ ₃₇ | ³⁵ ₃₇ | ³⁵ ₃₇ | ³⁵ ₃₇ | ³⁵ ₃₆ | ³⁵ ₃₆ | | | | | | |

The figures on the lines refer to the page.

35

Township N. 6 North, Range N. 9 East, 2. Mer. Indiana
ch. 4th

South Boundary.

West On Rand^m. S. boundary of Sec. 36

23.75 a Brook 6 l^hs. wide Course S. W.

40.00 Set temp^y. q^r. Sec. post

68.15 a Brook 10 l^hs. wide Course N. W.

69.50 Same 10 " " " S. W.

71.75 Same 10 " " " N. W.

80.00 Set temp^y. Cor. to Sec. 35 of 36

Land flat, timber Beech, Oak, Gum, Poplar, &c.

West On Rand^m. S. boundary of Sec. 35

24.70 a Brook 25 l^hs. wide Course S. W.

40.00 Set temp^y. q^r. Sec. post

56.20 a Brook 4 l^hs. wide Course S. W.

80.00 Set temp^y. Cor. to Sec. 34 of 35

Land timber &c. Same as on last mile

West On Rand^m. S. boundary of Sec. 34

11.50 a Brook 15 l^hs. wide Course S. W.

25.50 a Do. 10 " " " S. W.

39.77 a Do. 8 " " " S.

40.00 Set temp^y. q^r. Sec. post

75.50 a Brook 6 l^hs. wide Course S.

80.00 Set temp^y. Cor. to Sec. 33 of 34

Land timber &c. Same as on last mile

West On Rand^m. S. boundary of Sec. 33

40.00 Set temp^y. q^r. Sec. post

44.25 a Brook 8 l^hs. wide Course S. W.

78.00 a Do. 10 " " " S.

80.00 Set temp^y. Cor. to Sec. 32 of 33

Land timber &c. Same as on last mile

West On Rand^m. S. boundary of Sec. 32

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Cor. to Sec. 31 of 32

T6 N N9 E. 2nd Mer. Indiana

ch² 1/2

Land level, timber Beech, Oak, Ash, Poplar
Gum &c.

West On Rand^m. S. boundary of Sec. 31

2.50 a Beech 8 1/2 m. wide Corner N.W.

8.20 a Do. 4 " " " N.E.

40.00 Set temp. gr. Sec. post

53.50 a Beech 4 1/2 m. wide Corner S.

68.62 full 436 lbr. N. of where the line run by Mr.
Lisson intersected an E & W line run by Mr.
Holmes. Land gently ascending & descending
Beech, Oak, Poplar &c. Nov. 5th 1806.

True Line. var. 5th 30' E.

West On S. boundary of Sec. 36

3.95 a Beech 38 m. dist.

35.80 an Ash 12 " "

40.00 Set gr. Sec. post, from which

a Beech 10 m. dist. by N 70 E 10 lbr. dist. of

an Ash 5 " " " S 88 W 19 " "

44.23 an Ash 20 " "

64.96 a Beech 12 " "

68.40 a Do 18 " "

74.95 a S. Gum 27 " "

80.00 Set post On to Sec. 35 of 36, from which

a Beech 11 m. dist. by N 27 W 8 lbr. dist. of

a Do. 24 " " " S 16 W 14 " "

West On S. boundary of Sec. 35

16.60 a Beech 20 m. dist.

27.14 a W. Oak 48 " "

34.43 a Beech 20 " "

40.00 Set gr. Sec. post, from which

a Beech 13 m. dist. by N 50 W 11 lbr. dist. of

a Do. 6 " " " S 17 W 5 " "

62.00 a Beech 15 " "

St. R 9 E. 2. Mer. Indiana

37

ch. P. 1/4

68.68 a Poplar 56 in. dia.

80.00 Let post Cor. to Sect. 34 & 35, from which
a Beech 15 in. dia. bray N 24 E 7 1/2 km. dist. of
a Do. 7 " " " N 25 E 27 " "

West On South Boundary of Sec. 34

20.00 a Beech 20 in. dia.

40.00 Let q. Sec. post, from which
a Beech 12 in. dia. bray N 65 E 30 km. dist. of
an Elm 8 " " " N 67 1/2 E 16 " "

80.00 Let post Cor. to Sect. 33 & 34, from which
a Beech 12 in. dia. bray N 82 1/2 E 28 km. dist. of
an Elm 20 " " " N 85 E 40 " "

West On S. Boundary of Sec. 33

21.00 a Beech 20 in. dia.

40.00 Let q. Sec. post, from which
a Beech 18 in. dia. bray North 21 km. dist. of
a Do. 15 " " " N 51 1/2 E 10 " "

80.00 Let post Cor. to Sect. 32 & 33, from which
a Beech 16 in. dia. bray N 66 W 3 km. dist. of
a Do. 8 " " " N 74 E 21 " "

West On S. boundary of Sec. 32

40.00 Let q. Sec. post, from which

a W. Oak 24 in. dia. bray N 47 E 22 km. dist. of
a Do. 13 " " " N 61 1/2 E 13 " "

80.00 Let post Cor. to Sect. 31 & 32, from which
a Beech 16 in. dia. bray East 9 km. dist. of
a Do. 13 " " " N 62 W 32 " "

West On S. boundary of Sec. 31

35.00 a Brook 10 km. wide (run) with the line

40.00 Let q. Sec. post, from which

a Beech 13 in. dia. bray N 76 W 8 km. dist. of
a Dogw. 5 " " " N 51 E 6 " "

St. R. G. E. 2^d. Mer. Indiana
 68.64 Let post Cor. to Township 5, 6 N. Range
 8 & 9 East, from which
 at Beech 8 in. dia. bray N 67 E 6 lks. dist. of
 a Do. 16 " " " S 21 E 12 " "
 Brook continues north of the line, run, 185th.
 November 6th. 1806

East Boundary
 12th, 13th, 14th of November 1806. var. 5. 30. E
 North On E. boundary of Sec. 36
 17.40 at Brook 8 lks. wide Course N. W.
 19.85 a Poplar 38 in. dia.
 23.15 at Brook 10 lks. wide Course S. W.
 40.00 Let gr. Sec. post, from which
 a W. Oak 18 in. dia. bray N 86 E 30 lks. dist. of
 a Do. 16 " " " S 59 W 14 " "
 50.58 a S. Gum 24 " "
 56.25 a W. Oak 30 " "
 69.00 at Brook 10 lks. wide Course W.
 80.00 Let post Cor. to Sec. 25 & 36, from which
 a W. Oak 24 in. dia. bray N 22 E 8 lks. dist. of
 a Beech 20 " " " S 41 W 25 " "
 Land flat, timber, Beech, Oak, Maple,
 Gum, Poplar &c.

North On E. boundary of Sec. 25
 0.92 a Beech 20 in. dia.
 16.20 at Brook 15 lks. wide Course S. W.
 32.54 a Beech 28 in. dia.
 40.00 Let gr. Sec. post, from which
 a Dogwood 8 in. dia. bray N 73 W 12 lks. dist. of
 a Beech 30 " " " S 18 E 28 " "
 56.22 a Creek 60 lks. wide Course S. W.
 80.00 Let post Cor. to Sec. 24 & 25, from which
 a Beech 17 in. dia. bray N 22 E 5 lks. dist. of
 a Do. 16 " " " S 59 W 34 " "

39

St. R. E. 2nd Mer. Indiana
ch. lks Land waving, timber Beech, Sugar, Poplar
Ash &c.

North On E. boundary of Sec. 24
16.12 a W. Oak 28 m. dist.
28.40 a Poplar 42 " "
37.75 a Brook 3 lks. wide Course E.
40.00 At q^r. Sec. post, from which
a Beech 12 m. dist. by S 19 W 17 lks. dist. of
a Do. 9 " " " S 16 W 21 " "
56.38 a Beech 20 " "
80.00 At post Cor. to Sec. 13 & 24, from which
a Beech 8 m. dist. by S 66 E 13 lks. dist. of
a Poplar 36 " " " S 59 W 31 " "
Land level, timber Beech, Oak, Hickory, Poplar &c

North On E. boundary of Sec. 13
0.75 a Beech 24 m. dist.
1.25 a Do. 24 " "
13.30 a Brook 12 lks. wide Course N. W.
19.50 a Do. 12 " " " S. W.
40.00 At q^r. Sec. post, from which
a Beech 7 m. dist. by S 67 E 19 lks. dist. of
a Poplar 18 " " " S 55 W 16 " "
45.25 a Brook 10 lks. wide Course W.
60.54 a Beech 24 m. dist.
70.10 a Brook 4 lks. wide Course W.
80.00 At post Cor. to Sec. 12 & 13, from which
a Beech 20 m. dist. by N 31 E 25 lks. dist. of
a Do. 10 " " " S 8 E 13 " "
Land waving, timber Beech, Sugar, Oak &c

North On E. boundary of Sec. 12
3.90 a Brook 8 lks. wide Course W.
29.80 a Creek 60 " " " W.
40.00 At q^r. Sec. post, from which

T^h N^o 1 R^g E. 2^d Mer. Indianach. l^y

- a Sugar 16 m. diam. bray N 39 E 3 l^y. dist. of
 a Do. 12 " " " S 64 W 14 " "
 67.67 a W. Oak 54 " "
 80.00 Set post Cor. to Sect. 1 & 12, from which
 a S. Gum 30 m. diam. bray S 37 W 16 l^y. dist. of
 a Beech 11 " " " S 71 E 12 " "
 Sand level, timber Beech, Oak, Hickory, Gum
 Poplar &c.

North On E. boundary of Sec. 1

- 9.75 a Brook 6 l^y. wide Course S. W.
 13.47 a Beech 28 m. dist.
 37.20 a Brook 8 l^y. wide Course S. W.
 40.00 Set q^r. Sec. post, from which
 a Beech 11 m. diam. bray N 42 E 13 l^y. dist. of
 a Do. 10 " " " S 52 W 10 " "
 47.50 a Poplar 48 " "
 60.10 a Brook 8 l^y. wide Course W.
 65.30 a Do. 10 " " " S. W.
 80.00 Set post Cor. to Township, 6 & 7 North, Range
 9 & 10 East, from which
 a Beech 10 m. diam. bray N 8 1/2 E 21 l^y. dist. of
 a Do. 14 " " " S 13 E 22 " "
 Sand waving, timber Beech, Sugar, Oak
 Hickory, Poplar &c.

North Boundary.

Random line — Course is S 89.20' W

Met On S. boundary of Sec. 36, T^h N^o 1 R^g E.

- 36.45 a Brook 5 l^y. wide Course S. W.
 40.00 Set temp^y. q^r. Sec. post
 62.80 a Brook 5 l^y. wide Course S. W.
 79.00 bend of a Brook 12 l^y. wide, run with the line
 80.00 Set temp^y. Cor. to Sect. 35 & 36 [South side]
 Sand waving, timber Beech, Sugar, Oak &c.

St. R9E. 2^d. Mer. Indiana 41

ch^lth
West On S. boundary of Sec. 35, T⁷N. R9E.
4.80 a Brook 15th. wide Course N.W.
26.30 a do. 6 " " " N.W.
40.00 Let temp^y. of Sec. post
80.00 Let temp^y. Cor. to Sec. 34 & 35
Land Broken, timber Beech, Sugar, Oak, Poplar &c
November 15th. 1806.

West On S. boundary of Sec. 34, T⁷N. R9E.
8.45 a Brook 5th. wide Course N.
15.65 a do. 5 " " " N.
26.00 a do. 10 " " " N.
40.00 Let temp^y. of Sec. post
71.25 a Brook 6th. wide Course N.W.
80.00 Let temp^y. Cor. to Sec. 33 & 34
Land timber &c. Same as on last mile

West On S. boundary of Sec. 33, T⁷N. R9E.
22.30 a Brook 10th. wide Course N.
40.00 Let temp^y. of Sec. post
68.30 a Brook 20th. wide Course S.W.
80.00 Let temp^y. Cor. to Sec. 32 & 33
Land timber &c. Same as on last mile

West On S. boundary of Sec. 32, T⁷N. R9E
13.62 a Brook 8th. wide Course S.
40.00 Let temp^y. of Sec. post
65.42 a Brook 15th. wide Course S.W.
80.00 Let temp^y. Cor. to Sec. 31 & 32
Land waving, timber Beech, Oak, Poplar, Hickory

West On S. boundary of Sec. 31, T⁷N. R9E.
34.00 a Brook 20th. wide Course S.W.
37.60 a do. 12 " " " S.E.
40.00 Let temp^y. of Sec. post
72.22 fell 38th. S. of corner. Land Broken

T6 N. R9 E. 2^d. Mer. Indiana
 ch. 1st 1/4
 timber Beech, Oak, Poplar, Hickory &c.

True Line

East On S. boundary of Sec. 31, T7 N. R9 E

32.22 Set of Sec. post, from which

a Beech 30 in. dia. bray S73 E 29 lks. dist. of

a Hogw^d. 5 " " " N45 W 12 " "

72.22 Set post Cor. to Sec. 31, 32, T7 N. R9 E, from which

a Beech 30 in. dia. bray N88 E 32 lks. dist. of

a Ho. 16 " " " N82 W 25 " "

East On S. boundary of Sec. 32, T7 N. R9 E.

40.00 Set of Sec. post, from which

a Beech 14 in. dia. bray S21 E 18 lks. dist. of

a B. Oak 5 " " " N13 W 27 " "

80.00 Set post Cor. to Sec. 32, 33, from which

a Poplar 8 in. dia. bray N63 E 6 lks. dist. of

a Ho. 5 " " " S72 W 6 " "

East On S. boundary of Sec. 33, T7 N. R9 E.

40.00 Set of Sec. post in edge of a brook, from which

an Elm 10 in. dia. bray S11 E 30 lks. dist. of

a Dogwood 8 " " " S80 E 29 " "

80.00 Set post Cor. to Sec. 33, 34, from which

a Beech 34 in. dia. bray N82 E 16 lks. dist. of

a Ho. 7 " " " N70 W 20 " "

East On S. boundary of Sec. 34, T7 N. R9 E.

40.00 Set of Sec. post, from which

a Beech 10 in. dia. bray N68 E 3 lks. dist. of

a Sugar 10 " " " S32 W 33 " "

80.00 Set post Cor. to Sec. 34, 35, from which

a Beech 36 in. dia. bray N7 E 25 lks. dist. of

a Sugar 8 " " " S38 E 15 " "

East On S. boundary of Sec. 35, T7 N. R9 E.

T6N-129E. 2nd Mer. Indiana

43

ch. lks

16.23 a Maple 36 in. diam.

40.00 let of. Sec. post, from which
a Beech 16 in. diam. bray N12W 1 lks. dist. of
a do. 24 " " " 15 E 24 " "

61.48 a Beech 20 " "

80.00 let post, Cor. to Sec. 35 & 36, from which
a Beech 11 in. diam. bray N84E 10 lks. dist. of
a do. 30 " " " 187 W 29 " "

East On S. boundary of Sec. 36, T6N. 129E.

40.00 let of. Sec. post, ~~East to S~~ from which
a Hickory 8 in. diam. bray N63E 2 lks. dist. of
a Beech 6 " " " 121 E 9 " "

42.20 a Poplar 30 " "

57.58 a do. 48 " "

77.10 a Beech 22 " "

80.00 to the Township Corner

November 16th 1806

West Boundary var. 5.30. E.

North On E. boundary of Sec. 36, T6N. 128E.

1.15 a Brook 15 lks. wide Course N80 W.

12.44 a Beech 16 in. diam.

28.44 a do 18 " "

40.00 let of. Sec. post, from which
a Sugar 12 in. diam. bray N67W 13 lks. dist. of
a do. 15 " " " N85 E 14 " "

42.50 a Creek 100 lks. wide Course W.

69.75 a Brook 8 " " " E.

80.00 let post Cor. to Sec. 35 & 36, from which
a Sugar 15 in. diam. bray N28 1/2 E 17 lks. dist. of
a Beech 18 " " " 14 W 30 " "

Land waving, timber Beech, Sugar, Poplar
Poplar, Oak &c.

North On E. boundary of Sec 25, T6N. 128E.

T6 N R9 E 2^d Mer. Indiana

ch^d 1/4

- 1.50 a Brook 1 1/2 km wide Course E.
 20.07 a Beech 16 in. dia.
 25.80 a Brook 3 km wide Course N.
 40.00 at gr. Sec. post, from which
 a S. Gum 9 in. dia. - bay N 71 W 22 km. dist. of
 a Beech 15 " " " S 35 E 10 " "
 52.25 a Beech 22 " "
 63.60 a Brook 8 km wide Course W.
 76.10 a Beech 36 in. dia.
 80.00 at post Co. to Sec. 24 of 25, T6 N R8 E, from which
 a Beech 4 1/2 in. dia. - bay S 74 E 8 km. dist. of
 a do. 14 " " " S 83 W 15 " "
 Land waving, timber Beech, Sugar, Poplar, oak.

North On E. boundary of Sec. 24, T6 N R8 E.

- 2.20 a Brook 20 km wide Course W.
 15.25 a Beech 18 in. dia.
 23.00 a Brook 25 km wide Course W.
 31.25 a Beech 16 in. dia.
 40.00 at gr. Sec. post, from which (in bank of brook 15 km)
 a W. Oak 18 in. dia. - bay S 43 E 25 km. dist. of
 a Beech 7 " " " N 30 W 36 " "
 44.65 a Brook 15 km wide Course S. W.
 48.00 a do. 4 " " " S. E.
 55.00 a Beech 15 in. dia.
 59.90 a do. 17 " "
 80.00 at post Co. to Sec. 13 of 24, T6 N R8 E, from which
 a Beech 20 in. dia. - bay North 5 km. dist. of
 a do. 7 " " " S 55 W 22 " "
 Land timber &c. same as on last mile

North On E. boundary of Sec. 13, T6 N R8 E.

- 7.90 a Brook 8 km wide Course N. E.
 11.00 a do. 15 " " " N. W.
 22.95 a W. Oak 18 in. dia.
 40.00 at gr. Sec. post, from which

45

S6 N 12 E. 2^d Mer. Indiana

ch. lth

- an Ash 15 in. dia. bray S 31 E 7 lth. dist. of
 a Beech 14 " " " N 48 W 31 " "
 47.40 at Brook 10 lth. wide Course N.W.
 48.81 a Beech 17 in. dia.
 63.60 a Brook 6 lth. wide Course W.
 66.69 at Beech 16 in. dia.
 74.25 a Brook 20 lth. wide Course N.E.
 80.00 Set post Cor. to Sec. 12 & 13, T6 N. R8 E, from which
 a Sugar 30 in. dia. bray South 30 lth. dist. of
 a Beech 12 " " " N 5 W 25 " "
 Sand timber &c. Same as last mile

North On E. boundary of Sec. 12, T6 N. R8 E

- 12.25 a Brook 35 lth. wide run N.W. a considerable
 Rapid, but not a sufficient quantity of water for business
 20.90 a Beech 15 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 17 in. dia. bray S 59 E 16 lth. dist. of
 a Do. 6 " " " N 81 W 11 " "
 52.05 a Creek 80 lth. wide N.W. a good mill stream, abound with
 66.00 Same 80 " " S.E. ^{beautiful building stone}
 78.50 Same 80 " " S.W.
 80.00 Set post* Cor. to Sec. 1, 12, T6 N. R8 E, from which
 a Beech 8 in. dia. bray S 31 W 20 lth. dist. of
 a Do. 15 " " " N 30 E 51 " "
 Sand broken, timber Beech, Oak, Hickory, ash &c
 *This post stands on the bank of Creek

North On E. boundary of Sec. 1, T5 N. R8 E

- 11.60 a Creek 80 lth. wide Course S.E.
 18.20 Same 80 " " " W.
 26.60 a Poplar 12 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 12 in. dia. bray N 11 W 3 lth. dist. of
 a Do. 14 " " " S 59 E 18 " "
 53.60 a Beech 30 " "

West R9 E. 2nd Mer. Indiana

ch. lks

64.03 a Poplar 46 in. dia.

73.25 a Beech 18 "

80.00 Set post Cor. to Township 6 of 7 North, Range 8 of 9 East, from which

a Beech 18 in. dia. bears N 43 E 17 lks. dist. &

a Do. — " " " N 43 W 21 " "

Land waving, timber Beech, Poplar, Oak, Hickory &c.

November 7th, 1876

Surveyed By

John Brownson,

Deputy Surveyor

Subdivision. Nov. 17th, 1876

North Between Secs. 35 & 36, T6 N. R9 E.

7.00 a dry Brook 10 lks. wide Course S. W.

25.68 a Beech 20 in. dia.

40.00 Set of Sec. post, from which

a Beech 12 in. dia. bears S 50 W 20 lks. dist. &

a Do. 14 " " " S 32 E 13 " "

44.50 a dry Creek 10 lks. wide Course S. W.

68.58 a Beech 18 in. dia.

80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which

a S. Gum 18 in. dia. bears S 76 E 20 lks. dist. &

a W. Oak 15 " " " N 29 W 4 " "

Over level land not a good 2nd rate timber Beech W. Oak Gum, Poplar &c. Some Spice undergrowth, middling farming Land

East On Random between Secs. 25 & 36

40.00 Set temp. of Sec. post.

81.13 Intersected the E. boundary 2 lks. N. of post Land and timber the same as on the last mile

West Corrected between Secs. 25 & 36

40.56 Set of Sec. post at average dist. from which

a Beech 15 in. dia. bears N 36 E 5 lks. dist. &

47

Sect R9 E. 2nd Mer. Indiana

ch. 16 1/2

a Beech 16 in. dia. bears S 11 1/2 W 20 lbs. dist. &
81. 13 to Section Corner

North Between Sect. 25 & 26

27. 38 a Beech 9 in. dia. bears

40. 00 Set of. Sec. post, from which

a Beech 12 in. dia. bears S 68 E 14 lbs. dist. &

a Sugar 9 " " " N 48 W 12 " "

45. 50 a Small Spring branch 3 lbs. wide Course N. E. is nearly dry

69. 54 a W. Ash 20 in. dia.

80. 00 Set post Cor. to Sect. 23 24. 25 & 26, from which

a Beech 15 in. dia. bears N 80 W 10 lbs. dist. &

a No. 18 " " " N 83 E 24 " "

the first half mile - timber Land &c. Same as last.

mile, the last rolling timber Beech Sugar &c.

principally good farming Land -

East On Random between Sect. 24 & 25

15. 00 a Creek 70 lbs. wide Course N. W.

40. 00 Set pump. of. Sec. post

81. 53 Intersected the E. boundary 14 lbs. N. of post

over rolling land 2nd rate timber Beech Sugar &c.

principally good farming Land -

West Corrected between Sect. 24 & 25

40. 76 Set of. Sec. post, at average dist. from which

a Sugar 12 in. dia. bears N 50 W 18 lbs. dist. &

a No. 6 " " " N 13 E 21 " "

81. 53 to Section Corner

North Between Sect. 23 & 24

2. 50 a Creek 70 lbs. wide Course S. W.

28. 00 a No. 10 " " " S. W.

31. 75 a Beech 10 in. dia.

40. 00 Set of. Sec. post, from which

a. Honwood 5 in. dia. bears N 36 W 8 lbs. dist. &

48

T. N. R. G. E. 2nd Mer. Indiana

ch. 1. 1/2

- a Beech 20 in. dia. bears N 67 E 22 lbs. dist.
 62. 44 a Beech 24 " "
 75. 30 a Creek 100 lbs. wide Course West
 80. 00 Set post Cor. to Sect. 13/14, 23 & 24, from which
 a Beech 15 in. dia. bears S 24 1/2 E 31 lbs. dist. &
 an Elm 15 " " " S 49 W 32 " "
 Over broken Land 2nd rate soil, timber Beech, Poplar,
 Sugar &c. Undergrowth Spice not good farming Land-

East On Prandon between Sect. 13 & 24

10. 00 a Creek 100 lbs. wide Course S. W.
 40. 00 Set temp. q. Sec. post
 82. 82 Intersected the E. boundary 44 lbs. S. of post
 the first half mile Over broken Land and the last
 level timber Beech Poplar Gum Sugar &c. middling
 good farming Land-

West Corrected between Sect. 13 & 24

41. 41 Set q. Sec. post, at average dist. from which
 a Beech 20 in. dia. bears N 57 W 23 lbs. dist. &
 a No. 20 " " " S 72 E 16 " "
 82. 82 to Section Corner

November 18th 1816. var. 5.00' E.

North Between Sect. 13 & 14

22. 40 a Beech 10 in. dia.
 40. 00 Set q. Sec. post, from which
 a Beech 18 in. dia. bears N 69 E 29 lbs. dist. &
 a W. Ash 6 " " " S 34 E 10 " "
 44. 00 to the bend in a Creek 100 lbs. wide course S. E.
 68. 19 a Beech 5 in. dia.
 80. 00 Set post Cor. to Sect. 11, 12, 13 & 14, from which
 a Sugar 12 in. dia. bears S 13 W 28 lbs. dist. &
 a Lync 20 " " " N 72 E 5 " "
 Over broken land 2nd rate soil, timber Beech, Poplar,
 Sugar, W. Oak &c. not good farming Land-

P. M. 10

49

T^h R⁹ E. 2nd Mer. Indiana

ch. A. 167

East On Prandom between Sec. 12 & 13.

29.00 a Creek 30 lbs. wide Course S. 1.00 lbs. and enters in
to a Creek 100 lbs. Course W.

40.00 Set temp. g. Sec. post

40.50 a Creek 100 lbs. wide Course S. 85 W.

71.50 a Brook 12 " " " N. W. nearly dry

81.34 Intersected the E. boundary 25 lbs. S. of post
over broken land 2nd rate Soil timber same not good
farming Land-

West Corrected between Sec. 12 & 13

40.67 Set g. Sec. post, at average dist. from which
a Beech 10 in. dia. bears N 2 E 2 lbs. dist. &
a No. 18 " " " S 59 W 17 " "

81.34 to Section Corner

North Between Sec. 11 & 12, var. 5° 25' E.

21.02 a S. Gum 14 in. dia.

40.00 Set g. Sec. post, from which
an Elm 20 in. dia. bears N 88 E 12 lbs. dist. &
a Beech 10 " " " N 76 W 27 " "

60.84 a Maple 12 " "

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
a Beech 16 in. dia. bears S 67 E 9 lbs. dist. &
a S. Gum 10 " " " N 48 W 16 " "
over level land 2nd rate timber W. Oak Beech Poplar
Gum Maple &c. muddling farming Land-

East On Prandom between Sec. 1 & 12

40.00 Set temp. g. Sec. post

51.50 a Creek 20 lbs. wide Course South

81.85 Intersected the E. boundary 13 lbs. N. of post.
over rolling Land 2nd rate timber Beech & Poplar.
good farming Land-

West Corrected between Sec. 1 & 12

50

St R9E. 2.nd Mer. Indiana
ch. Alky

- 40.92 Set of. Sec. post, at average dist. from which
a Beech 30 in. dia. bears N25 E 25 lth. dist. 4
a No. 5 " " " N37 W23 " "
81.85 to Section Corner

North Between Sect. 1 & 2.

25.24 a Beech 12 in. dia.

- 40.00 Set of. Sec. post, from which
a Beech 13 in. dia. bears N80 E 12 lth. dist. 4
a No. 8 " " " S81 W40 " "

59.22 a S. Gum 13 " "

76.50 a Brook 10 lth. wide Course W. which appears
never to be dry.

- 78.65 Intersected the N. boundary 186 lth. E. of post
Set post Cor. to Sect. 1 & 2, from which
a Beech 8 in. dia. bears S75 W11 lth. dist. 4
a No. 12 " " " S58 E35 " "
Over level Land 2.nd rate timber principally Beech
Gum Poplar & Hickory middling farming Land

November 19th 1806

North Between Sect. 34 & 35

24.20 a Beech 20 in. dia.

- 40.00 Set of. Sec. post, from which
a Beech 10 in. dia. bears S62 W29 lth. dist. 4
a No. 18 " " " N31 E4 " "

61.34 a Beech 13 " "

- 80.00 Set post Cor. to Sect. 26, 27, 34 & 35, from which
a Beech 18 in. dia. bears S38 1/2 W3 lth. dist. 4
a No. 24 " " " N58 E31 " "
Land level 2.nd rate timber Beech, Poplar, Maple,
Gum &c. middling farming Land

East On Ransom between Sect. 26 & 35

40.00 Set temp. of. Sec. post

79.94 Intersected the N. & S. line 18 lth. S. of post

Land and timber the same

West Corrected between Sec. 26 & 35

39.97 Set of Sec. post at average dist. from which
a Beech 5 in. dia. bears N 85 W 9 lks. dist. &
a Gum 12 " " " S 89 E 9 " "

79.94 to Section Corner

North Between Sec. 26 & 27.

29.87 a Beech 20 in. dia. " "

40.00 Set of Sec. post, from which
a Beech 10 in. dia. bears S 71 W 14 lks. dist. &
a W. Ash 5 " " " S 82 E 17 " "

72.22 a Beech 10 " " "

80.00 Set post cor. to Sec. 22, 23, 26, & 27, from which
a Beech 13 in. dia. bears S 81 E 19 lks. dist. &
a Poplar 10 " " " N 52 W 45 " "
over level Land 2nd rate timber same as last mile
good farming Land.

East On Prandon between Sec. 23 & 26

40.00 Set temp. of Sec. post

71.00 a Creek 70 lks. wide Course S. W.

77.50 a Do. 70 " " " N. W.

79.94 Intersected the N. & S. line 18 lks. S. of post.

over rolling Land 2nd rate timber Beech Poplar
Sugar &c. undergrowth Spice good farming Land

West Corrected between Sec. 23 & 26

39.97 Set of Sec. post, at average dist. from which
a Beech 14 in. dia. bears S 78 E 11 lks. dist. &
a Do. 18 " " " N 81 W 35 " "

79.94 to Section Corner

North Between Sec. 22 & 23

18.46 a Beech 18 in. dia.

East N 9 E. 2nd Mer. Indiana

- 30.00 a Creek 70 lks. wide Course N.
 40.00 Set q. Sec. post, from which
 a Beech 20 in. dia. bears N 73 E 9 lks. dist. &
 a Poplar 36 " " " S 75 W 33 " "
 62.39 a Beech 14 " "
 75.00 a Small Stream of water. Course S. E.
 80.00 Set post Corner to Secs. 14, 15, 22 & 23, from which
 a Beech 9 in. dia. bears N 63 E 11 lks. dist. &
 a Do. 12 " " " S 71 W 15 " "
 Over rolling land good 2nd rate the principle
 timber is Beech Sugar & Poplar very good
 farming Land undergrowth Spice-

East On Random between Secs. 14 & 23

- 10.00 a Small Brook Course S. E.
 25.00 a Creek 100 lks. wide Course S. W. 200 lks. below
 a Creek 60 lks. wide enters into this Creek which
 comes from the S. E.
 40.00 Set temp. q. Sec. post
 70.00 a Creek 100 lks. wide Course N. W.
 79.79 Intersected the N & S. line 2 lks. N. of post
 over level land 1st rate it being the Creek
 bottom timber Beech poplar Ash B. Walnut &c.
 good farming Land

West Corrected between Secs. 14 & 23

- 39.89 Set q. Sec. post, at average dist. from which
 a Beech 18 in. dia. bears S 72 1/2 E 21 lks. dist. &
 a Do. 12 " " " N 37 W 26 " "
 49.79 to Section Corner.

November 20th 1806

North Between Secs. 14 & 15.

- 8.00 a Spring Course S. E.
 28.24 a Maple 10 in. dia.
 40.00 Set q. Sec. post, from which

53

Sec. 2 E. 2nd Mer. Indiana
ch. 1/2

- a Beech 13 in. dia. bears South 8 lbs. dist. &
 a No. 4 " " " N 2 1/2 E 2 1/4 " "
 69.56 a d. Gum 18 " "
 80.00 Set post Cor. to Secs. 10, 11, 14 & 15, from which
 a Beech 18 in. dia. bears N 70 W 20 lbs. dist. &
 a No. 8 " " " N 78 E 4 " "
 Over level Land 2nd rate timber W. Oak Gum
 Maple Poplar &c. good farming Land
-

East On Random between Secs. 11 & 14

- 40.00 Set temp. q. Sec. post.
 81.17 Intersected the N. & S. line at the post
 Land and timber the same as last mile.
-

West Connected between Secs. 10 & 14

- 40.58 Set q. Sec. post, at average dist. from which
 a Beech 12 in. dia. bears S 58 E 12 lbs. dist. &
 a No. 18 " " " N 58 W 32 " "
 81.17 to Section Corner
-

North Between Secs. 10 & 11

- 21.80 a Beech 5 in. dia.
 30.50 a dry Creek 10 lbs. wide Course S.W.
 40.00 Set q. Sec. post, from which
 a Beech 18 in. dia. bears N 55 E 10 lbs. dist. &
 a No. 4 " " " S 81 W 10 " "
 67.67 a Beech 18 " "
 81.00 Set post Cor. to Secs. 2, 3, 10 & 11, from which
 a Sugar 9 in. dia. bears S 7 1/2 E 21 lbs. dist. &
 a Beech 10 " " " S 3 1/4 W 21 " "
 Land timber &c. same as on the last mile
-

East On Random between Secs. 2 & 11

- 30.00 a dry Creek 10 lbs. wide Course N.W.
 40.00 Set temp. q. Sec. post
 80.64 Intersected the N. & S. line 10 lbs. S. of post

54

St. RGE. 2nd Mer. Indiana
ch. lly

Land timber &c. Same as on the last. mile -

West Connected between Secs. 2 & 11

40.32 Set of Sec. post, at average dist. from which
a Beech 13 in. dia. bears N 77° W 10 lbs. dist. &
a Maple 18 " " " S 61° E 47 " "

80.64 to Section Corner

North Between Secs. 2 & 3

00.50 a Brook 10 lbs. wide Course N. W.

20.85 a Poplar 36 in. dia.

40.00 Set of Sec. post, from which
a Beech 12 in. dia. bears S 12° E 17 lbs. dist. &
a Do. 12 " " " N 41° W 31 " "

67.56 a Gum 20 " "

77.53 Intersected the N. boundary 318 lbs. W. of post
Set post cor. to Secs. 2 & 3, from which
a Beech 20 in. dia. bears N 59° W 9 lbs. dist. &
a Do. 6 " " " N 87° E 15 " "
Over rolling land 2nd rate timber beech, Poplar,
Gum, Sugar, &c. undergrowth Spice good farming land

November 21st 1806

North Between Secs. 33 & 34.

25.18 a W. Oak 20 in. dia.

40.00 Set of Sec. post, from which
a Beech 11 in. dia. bears S 43° W 21 lbs. dist. &
a Do. 10 " " " N 49° E 39 " "

61.91 a Maple 18 " "

80.00 Set post cor. to Secs. 27, 28, 33 & 34, from which
a Beech 12 in. dia. bears S 2° W 18 lbs. dist. &
a Do. 9 " " " N 17° W 8 " "
Over level land 2nd rate timber Beech, Poplar, Maple,
Gum &c. middling farming Land -

East On Random between Secs. 27 & 34

West N9E. 2nd Mer. Indiana 55

ch. P. 164

40.00 Set temp. q. Sec. post

79.92 Intersected the N. & S. line 1.54 lks. S. of post
Land and timber the same as on the last mile

West Corrected between Sec. 27 & 34

39.96 Set q. Sec. post, at average dist. from which
a Beech 15 in. dia. bears N 61 E 16 lks. dist. &
a No. 18 " " S 9 W 34 " "

79.92 to Section Corner

North Between Sec. 27 & 28

22.30 a Beech 24 in. dia.

40.00 Set q. Sec. post, from which
a Beech 18 in. dia. bears S 40 E 10 lks. dist. &
a No. 10 " " N 33 W 26 " "

65.72 a Beech 18 " "

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 18 in. dia. bears N 82 W 18 lks. dist. &
a No. 12 " " S 72 E 61 " "

Over rolling Land good 2nd rate timber Beech, Sugar- &
Poplar - good farming Land -

East On Pradom between Sec. 22 & 27

40.00 Set temp. q. Sec. post.

49.50 a creek 15 lks. wide course N.W.

79.72 Intersected the N. & S. line 180 lks. S. of post.
Land & timber the same - good farming Land

West Corrected between Sec. 22 & 27

39.86 Set q. Sec. post, at average dist. from which
a Beech 12 in. dia. bears S 56 E 19 lks. dist. &
a Sugar 9 " " S 75 W 24 " "

79.72 to Section Corner

North Between Sec. 21 & 22

19.74 a Beech 18 in. dia.

St. N. N 9 E. 2^d Mer. Indiana

ch. 11 1/2

- 25.00 a Creek 100 lbs. wide course W.
 28.00 a No. 100 " " " S. E.
 40.00 Set of. Sec. post, from which
 a Beech 20 in. dia. bears S 22 E 21 lbs. dist. 4
 a No. 10 " " " N 4 E 3 " "
 51.00 a Creek 100 lbs. wide course N. W.
 70.72 a Sugar 18 in. dia.
 80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 20 in. dia. bears S 11 W — lbs. dist. 4
 a No. 10 " " " N 45 E —
 this mile rather Broken Land 2nd rate Soil timber.
 Same middling farming Land —
-

Variation E. 40' E.

East On Prandom between Sec. 15 & 22

- 40.00 Set temp. of. Sec. post,
 79.45 Intersected the N. & S. line 23 lbs. N. of post
 Over level land 2nd rate — timber Beech Poplar
 Gum & about middling farming Land —
-

West Corrected between Sec. 15 & 22

- 39.72 Set of. Sec. post, at average dist. from which
 a W. Oak 12 in. dia. bears N 8 E 6 lbs. dist. 4
 a Beech 20 " " " S 18 W 15 " "
 79.45 To Section Corner
-

North Between Sec. 15 & 16.

- 29.21 a Beech 15 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 10 in. dia. bears S 52 E 28 lbs. dist. 4
 a No. 20 " " " S 74 W 11 " "
 68.60 a Beech 9 " "
 80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
 a Beech 18 in. dia. bears N 83 E 15 lbs. dist. 4
 a Sugar 12 " " " S 69 W 26 " "
 Over level land 2nd rate — timber Beech Poplar Gum &c.

Post No. 2nd Mer. Indiana 57

ch. 2nd

undergrowth Spice and Beech, not very good farming
Land to flat and wet in the Spring-

East On Prandon between Sec. 10 & 15

13.00 a dry Creek 10 lbs. wide Course N.W.

40.00 Set temp. q. Sec. post

79.39 Intersected the N. & S. line 26 lbs. S. of post
the first half mile rolling Land timber Beech, Poplar-
good farming Land the last half mile level timber
Beech Poplar Gum Maple &c. middling good-
farming Land-

West Corrected between Sec. 10 & 15

39.69 Set q. Sec. post, at average dist. from which
a Beech 20 in. dia. bears S 23 E 37 lbs. dist. &
a No. 20 " " " S 13 E 1 " "

79.39 to Section Corner

North Between Sec. 9 & 10

20.45 a Beech 10 in. dia.

40.00 Set q. Sec. post, from which
a Beech 13 in. dia. bears S 70 E 14 lbs. dist. &
a No. 7 " " " N 66 W 21 " "

43.50 a Creek 50 lbs. wide Course N.W.

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 13 in. dia. bears North 6 lbs. dist. &
a No. 9 " " " South 20 " "
over rolling land 2nd rate timber Beech Poplar Sugar
middling farming Land

East On Prandon between Sec. 3 & 10

40.00 Set temp. q. Sec. post

80.00 Intersected the N. & S. line at the post
over rolling Land 2nd rate timber Beech & Poplar
principally thickets of Spice Beech middling good
farming Land-

Sect R9E. 2nd Mer Indiana

Ch. 1st

West Corrected between Sect. 3 & 10

- 40.14 Set of. Sec. post, at average dist. from which
 a Beech 18 in. dia. bears N50E33 lks. dist. &
 a No. 10 " " " S3W19 " "
 80.28 to Section Corner

North Between Sect. 3 & 14

- 3.00 a Creek 30 lks. wide Course S.W.
 19.00 a small dry branch 6 lks. wide Course S.E.
 20.09 a Beech 11 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 11 in. dia. bears S21E6 lks. dist. &
 a No. 6 " " " N51W32 " "
 60.60 a Beech 7 " "
 78.36 Intersected the N. boundary 4.27 lks. W. of post.
 Set post, Cor. to Sect. 3 & 14, from which
 a Beech 18 in. dia. bears S45E11 lks. dist. &
 a No. 13 " " " S51W25 " "
 Over level Land not good 1st rate timber Beech
 Poplar Sugar &c. middling farming Land

North Between Sect. 32 & 33, Nov. 23rd 1806.

- 24.76 a Beech 11 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 15 in. dia. bears N59W10 lks. dist. &
 a No. 15 " " " S64E29 " "
 50.00 a Creek 15 lks. wide Course S.E.
 61.39 a Poplar 30 in. dia.
 80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which
 a Beech 18 in. dia. bears S58E13 lks. dist. &
 a No. 13 " " " N52W12 " "
 Over level land not a good 2nd rate timber Beech,
 Poplar &c. not very good farming Land

East On Random between Sect. 28 & 33

- 40.00 Set temp. of. Sec. post

59

T^h R^g E. 2^d Mer. Indiana

ch^d 1st 1st

80.95 Intersected the N. & S. line 18 lks. S. of post.
Over level land not a good 2nd rate timber Beech, Gum,
Poplar &c. not very good farming Land-

West Corrected between Sec^s. 28 & 33.

40.47 Set of. Sec. post, at average dist. from which
a Beech 18 in. dia. bears S 2 W 3 lks. dist. &
a Do. 20 " " " N 26 E 20 " "

80.95 to Section Corner

North Between Sec^s. 28 & 29. Variation 5°. 00' E.

19.15 a Creek 100 lks. wide Course S. W.

21.09 a Beech 20 in. dia.

30.57 a Creek 100 lks. wide Course S. E.

40.00 Set of. Sec. post, from which
a Beech 10 in. dia. bears S 45 1/2 E 16 lks. dist. &
a Sugar 14 " " " N 76 W 36 " "

52.50 a Creek 100 lks. wide Course N. W.

60.88 a Beech 14 in. dia.

80.00 Set post Cor. to Sec^s. 21, 22, 28 & 29. from which
a Beech 8 in. dia. bears N 19 W. 3 lks. dist. &
a Do. 10 " " " S 1 E 28
Over broken land 2nd rate Soil timber Beech and
Sugar, not very good farming Land-

East On Prandom between Sec^s. 21 & 28.

40.00 Set temp^y. of. Sec. post.

65.00 a Creek 100 lks. wide Course S. W.

80.10 Intersected the N. & S. line 84 lks. S. of post.

Over rolling Land 2nd rate - timber Beech Sugar not very
good farming Land-

West Corrected between Sec^s. 21 & 28

40.05 Set of. Sec. post, at average dist. from which
a Hickory 11 in. dia. bears S 36 W 31 lks. dist. &
a Beech 10 " " " N 57 E 17 " "

60 St. Regis 2^d Mer. Indiana
Ch. P. M.
80.10 to Section Corner

North Between Secs. 20 & 21

19.77 a Beech 6 in. dia.

40.00 Set of Sec. post, from which
a W. Oak 40 in. dia. bears N 8 W 10 lbs. dist. &
a Beech 6 " " " S 56 W 11 " "

61.70 a Do. 10 " "

80.00 Set post Cor. to Secs. 16, 17, 20 & 21, from which
a Beech 15 in. dia. bears S 30 E 18 lbs. dist. &
a Do. 10 " " " N 38 E 20 " "
over rolling Land not a good 2nd rate timber Beech.
Poplar &c. thickets of dogwood and green briars not
good farming Land-

East On Random between Secs. 16 & 21.

40.00 Set temp. of Sec. post

80.26 Intersected the N. & S. line 83 lbs. S. of post
Over level land poor 2nd rate timber Beech, S. Gum,
Poplar &c. undergrowth Spice Beech & green briars
hardly middling farming Land-

West Corrected between Secs. 16 & 21

40.13 Set of Sec. post, at average dist. from which
a Beech 12 in. dia. bears S 77 E 10 lbs. dist. &
a Do. 11 " " " S 65 W 33 " "

80.26 to Section Corner

November 24th 1806

North Between Secs. 16 & 17.

23.50 a Beech 7 in. dia.

40.00 Set of Sec. post, from which
a Beech 15 in. dia. bears S 21 E 11 lbs. dist. &
a Do. 10 " " " N 57 W 23 " "

61.46 a Beech 10 " "

80.00 Set post Cor. to Secs. 8, 9, 16 & 17, from which

ch. P. 11y
S6 N. R9 E. 2^d. Mer. Indiana 61

a Beech 12 in. dia. bears N44 W11 lbs. dist. &
a No. 11 " " S72 E13 "
Over 2^d. rate Land rather rolling timber Beech
W. Oak, Gum, Poplar Sugar &c. middling good
farming Land -

East On Random between Sect. 9 & 16

40.00 Set temp. of. Sec. post

79.00 a Brook 10 lbs. wide. Course N. E.

80.19 Intersected the N. & S. line 78 lbs. S. of post.

Over level Land timber Same middling farming land.

West Connected between Sect. 9 & 16

40.09 a Beech 24 in. dia. at average dist. fr. of. Sec. Cor.

80.19 to Section Corner

North Between Sect. 8 & 9

40.00 Set of. Sec. post, from which, from which

a Beech 18 in. dia. bears S69 E22 lbs. dist. &

a No. 12 " " " N72 1/2 W7 " "

65.16 a Beech 30 " "

71.50 a Creek 40 lbs. wide Course W.

80.00 Set post Cor. to Sect. 4, 5, 8, & 9 from which

a Beech 18 in. dia. bears S78 W40 lbs. dist. &

a W. Ash 10 " " " N39 E14 " "

Over rolling Land 2^d. rate timber Beech, Poplar,
Sugar &c. not much undergrowth middling
good farming Land

East On Random between Sect. 4 & 9

36.50 a Small dry branch 6 lbs. wide Course S.

77.00 a Creek 20 " " " S. W.

80.06 Intersected the N. & S. line 115 lbs. S. of post.

Over rather broken 2^d. rate land timber &c. Same
as on the last mile -

62 Post R9 E. 2nd Mer. Indiana
ch. P. lky

West Connected between Sec. 4 & 9
40.05 Set of Sec. post, at average dist. from which
a Poplar 40 in. dia. bears N 30 W 14 lks. dist. &
a Beech 11 " " " S 9 W 31 " "
80.06 to Section Corner

North Between Sec. 4 & 5
20.00 a W. Oak 40 in. dia.
40.00 Set of Sec. post, from which
a Beech 27 in. dia. bears N 21 E 24 lks. dist. &
a Do. 5 " " " S 1 1/2 W 6 " "
62.50 a Creek 100 lks. wide course S. W.
79.48 Intersected the N. boundary 4.85 lks. N. of post
Set post Cor. to Sec. 4 & 5, from which
a Poplar 6 in. dia. bears S 26 E 15 lks. dist. &
a Do. 8 " " " N 47 W 12 " "
over rolling Land 2nd rate timber Beech Sugar
Poplar &c. good farming Land.

November 25th 1806

North Between Sec. 31 & 32
5.00 a Small dry brook Course S. W.
21.38 a Beech 14 in. dia.
34.00 a Creek 15 lks. wide Course S. W. now dry
40.00 Set of Sec. post, from which
a Beech 10 in. dia. bears S 18 W 24 lks. dist. &
a Do. 8 " " " N 27 E 13 " "
73.29 a Beech 11 " "
80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
a Beech 7 in. dia. bears N 89 E 21 lks. dist. &
a Do. 24 " " " West 50 " "
over rolling Land 2nd rate timber Beech Poplar
undergrowth Spice muddling farming Land

East On Randon between Sec. 29 & 32
40.00 Set temp. of Sec. post.

63

St. R9 E. 2nd Mer. Indiana

ch. lks

- 43.00 a small dry branch course N.W.
 80.76 Intersected the N. & S. line 84 lks. S. of post
 Land timber &c. Same as last mile.

West Connected between Sect. 29 & 32

- 40.38 Set qf. Sec. post, at average dist. from which
 a Beech 18 in. dia. bears S 28 E 7 lks. dist. &
 a No. 14 " " " N 60 W 22 " "
 80.76 to Section Corner

West Between Sect. 30 & 31

- 19.00 a Creek 1.50 lks. wide course S.
 31.54 a Sugar 12 in. dia.
 40.00 Set qf. Sec. post, from which
 a Beech 8 in. dia. bears N 20 E 24 lks. dist. &
 a No. 6 " " " S 3 W 9 " "
 60.92 a Beech 15 " "
 68.75 Intersected the W. boundary 172 lks. S. of post
 Set post Cor. to Sect. 30 & 31, from which
 a Beech 5 in. dia. bears S 18 E 12 lks. dist. &
 a No. 25 " " " N 8 W 8 " "
 Land timber &c. Same as on the last mile.

North Between Sect. 29 & 30

- 10.00 a Creek 150 lks. wide course S.W.
 40.00 Set qf. Sec. post, from which
 a — 18 in. dia. bears S 41 W 17 lks. dist. &
 a No. 5 " " " N 53 E 15 " "
 43.00 a Creek 15 lks. wide course S.W.
 80.00 Set post Cor. to Sect. 19, 20, 29 & 30, from which
 a Beech 24 in. dia. bears S 22 W 12 lks. dist. &
 a No. 18 " " " N 25 W 24 " "
 Land timber &c. Same as on the last mile.

East On Random between Sect. 20 & 29

- 40.00 Set temp'y. qf. Sec. post.

64

Post R9E. 2nd Mer Indiana

ch. lks

44.00 a Creek 15 lks. wide course S.W.

79.60 Intersected the N. & S. line 74 lks. S. of post.
Land timber &c. same as on last mile.West Corrected between Sec^s. 20 & 2939.80 Set q. Sec. post, at average dist. from which
a Beech 7 in. dia. bears N 84 E 24 lks. dist. &
a No. 5 " " " S 77 W 7 " "

79.60 to Section Corner

November 26th 1806

West Between Sect. 19 & 30

23.32 a Beech 11 in. dia.

40.00 Set q. Sec. post, from which
a Beech 18 in. dia. bears N 48 W 87 lks. dist. &
a Poplar 57 " " " S 45 W 6 " "67.82 Intersected the W. boundary 170 lks. South of post.
Set post Cor. to Sect. 19 & 30, from which
a Beech 18 in. dia. bears N 30 1/2 W 11 lks. dist. &
a No. 8 " " " S 55 E 12 " "
Land timber &c. same as last mile

North Between Sect. 19 & 20

26.00 a Beech 16 in. dia.

40.00 Set q. Sec. post, from which
a Beech 8 in. dia. bears N 7 E 15 lks. dist. &
a No. 20 " " " S 32 W 10 " "

41.20 a Small brook 7 lks. wide Course S.W.

60.09 a S. Gum 20 in. dia.

80.00 Set post Cor. to Sect. 17, 18, 19 & 20, from which
a Beech 10 in. dia. bears S 86 W 26 lks. dist. &
a W. Oak 30 " " " S 66 W 33 " "
Land level timber &c. same as last mile

East On Random between Sect. 17 & 20

40.00 Set temp. q. Sec. post

65

Sec. N 9 E. 2. Mer. Indiana
ch. lks
80.17 Intersected the N. & S. line 94 lks. S. of post.
Land & timber same good farming Land

November 27th 1806

West Corrected between Sect. 17 & 20
40.08² Set of Sec. post. at average dist. from which
a Beech 9 in. dia. bears N 16 E 22 lks. dist. &
a No. 24 " " " S 43 W 18 " "
80.17 to Section Corner

West Between Sect. 18 & 19
22.83 a Beech 12 in. dia.
40.00 Set of Sec. post. from which
a Beech 18 in. dia. bears S 41 W 17 lks. dist. &
a No. 16 " " " N 12 E 9 " "
67.12 Intersected the W. boundary 195 lks. S. of post
Set post cor. to Sect. 18 & 19, from which
a Beech 13 in. dia. bears N 12 E 25 lks. dist. &
a No. 6 " " " S 3 E 5 " "
Land and timber the same as last mile

North Between Sect. 17 & 18
21.74 a Beech 8 in. dia.
40.00 Set of Sec. post. from which
a Beech 14 in. dia. bears N 63 E 26 lks. dist. &
a No. 12 " " " S 37 W 27 " "
55.00 a Creek 20 lks. wide Course W.
29.26 a Beech 12 in. dia.
80.00 Set post cor. to Sect. 7, 8, 17 & 18, from which
a Beech 20 in. dia. bears S 78 W 14 lks. dist. &
a No. 12 " " " N 23 E 20 " "
Land timber &c. same as on the last mile

East On Prandon between Sect. 8 & 17
8.50 a Brook 10 lks. wide Course N. W.
40.00 Set temp. of Sec. post.

H. N. R. G. E. 2nd Mer. Indiana

ch. P. 117

- 64.00 a Brook 6 lks. wide Course N.W.
 80.69 Intersected the N. & S. line 80 lks. S. of post.
 Land and timber same as last mile

West Corrected between Sect. 8 & 17

- 40.34 Set q. Sec. post, at average dist. from which
 a Beech 12 in. dia. bears S 51° W 30 lks. dist. &
 a No. 9 " " " N 55° E 34 " "
 80.69 to Section Corner

West Between Sect. 7 & 18

- 23.53 a Beech 14 in. dia.
 35.50 a Creek 20 lks. wide Course N.W.
 38.00 a Spring a few lks. North
 40.00 Set q. Sec. post, from which
 a B. Ash 18 in. dia. bears S 72° W 25 lks. dist. &
 a Beech 16 " " " N 61° E 27 " "
 62.00 a Brook 10 lks. wide Course N.
 65.47 Intersected the W. boundary 195 lks. S. of post
 Set post Cor. to Sect. 7 & 18, from which
 a Beech 18 in. dia. bears S 41° E 19 lks. dist. &
 a No. 18 " " " N 72° E 41 " "
 Land timber &c. same as on the last mile

North Between Sect. 7 & 8.

- 22.50 a Sugar 18 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 20 in. dia. bears N 35° W 19 lks. dist. &
 a No. 14 " " " S 22° E 22 " "
 62.18 a Beech 5 " "
 63.18 a Creek 20 lks. wide Course N.W.
 80.00 a No. 40 " " " S.W.
 Set post Cor. to Sect. 5, 6, 7 & 8, from which
 a Beech 20 in. dia. bears S 13° W 64 lks. dist. &
 a Sugar 10 " " " N 15° E 49 " "
 Land timber &c. the same as on last mile

ch. 1th Sect. 19 E. 2nd Mer. Indiana 67
 Good farming Land.

East On Random between Sect. 5 & 8
 31.00 a Creek 50 lks. wide Course S.W. thence up
 the Creek 15.00 Chains
 40.00 Set temp. g. Sec. post.
 80.00 Intersected the N. & S. line 50 lks. S. of post
 over broken Land 2nd rate timber Same not good
 farming Land

West Corrected between Sect. 5 & 8
 40.00 Set g. Sec. post. at average dist. from which
 a Ironwood 8 in. dia. bears S 50 E 37 lks. dist. &
 a Sugar 7 " " " N 32 W 55 " "
 80.00 to Section Corner

West Between Sect. 6 & 7
 35.00 a Creek 100 lks. wide Course N.W.
 40.00 Set g. Sec. post. from which
 a Beech 9 in. dia. bears N 20 W 24 lks. dist. &
 a Do. 13 " " " S 29 E 33 " "
 47.00 a Creek 60 lks. wide Course S.W.
 65.14 Intersected the W. boundary 150 lks. S. of post.
 Set post Cor. to Sect. 6 & 7, from which
 a W. Ash 12 in. dia. bears N 15 W 104 lks. dist. &
 an Elm 12 " " " N 69 E 198 " "
 over broken Land 2nd rate Soil timber Beech
 Sugar &c. not good farming Land

North Between Sect. 5 & 6
 30.58 a Beech 7 in. dia.
 40.00 Set g. Sec. post. from which
 a Sugar 12 in. dia. bears S 42 W 17 lks. dist. &
 a Do. 12 " " " N 64 E 28 " "
 59.50 a Creek 170 lks. wide Course W.
 62.35 a W. Ash 12 in. dia.

T. 6 N. R. 9 E. 2nd Mer. Indiana

ch. 1. 1/2

79.84 Intersected the N. boundary 6.39 lks. N. of post
Set post cor. to Sect. 5 & 6, from which
a W. Oak 9 in. dia. bears S 29 E 30 lks. dist. 8
a Sapasas 10 " " " N 70 E 25 " "
rolling 2nd rate timber same good farming land.
Surveyed in 1806 By
James Sisson, L.S.

This Township is run on a variation 5°. 25'. the
E & W. lines are run at right angles in the two
east tier of sections. The rest of the E & W.
lines are run on a variation of 6°. 40'. The
Township line between Towns 5 & 6 North,
Range 9 East appears not to be a straight
line by our measurement. I was obliged
to alter the course for the convenience of
closing the sections.
James Sisson, L.S.

Comp.

I Certify that the foregoing transcript of field notes
of Township N. 6 North, of Range N. 9 East 2nd Mer.
Indiana, has been compared with the original notes
in this Office and found to be correct.
Superior General's Office
Cincinnati, Oct. 21. 1842

William Johnston
Sur. Genl.